

Specialty Shapes

Sunburst Louvers


Horizontal Louvers




Half Circle




Half Circle




Eyebrow




Elongated Eyebrow




Quarter Circle



Circle




Oval



Octagon



Hexagon



Triangle

Specialty Shape Specifications

Perfect half circle shapes in Z Frame

- ☒ If less than 35" wide, available only in 2.5" Deluxe Z and Bullnose Z frame.
- ☒ If less than 30", available only in Bullnose Z frame.
- ☒ See chart on right for details. -- -- →

Frame Type	Radius Chart		
	Less than 15"	15" to 17.5"	Over 17.5"
1.7" Bullnose Z	Ok	Ok	Ok
2.5 Deluxe Z	No	Ok	Ok
3" Elegant Z	No	No	Ok
Standard L	Ok	Ok	Ok
French Door L	Ok	Ok	Ok
2.25" Deco	Ok	Ok	Ok
Hang Strip	Ok	Ok	Ok

Specialty Shapes with Sunburst Louvers


Specialty Shape Types	Panel Width		Panel Height	
	Min.	Max	Min.	Max
Circle	20	36	20	36
Half Circle	20	110	10	55
Quarter Circle	15	55	15	55
Eyebrow	20	110	9	55
Elongated Eyebrow	20	110	10	55
Oval	20	36	25	48
Hexagon	20	36	20	36
Octagon	20	36	20	36
Triangle	20	36	17 3/8	31 1/8

Specialty Shapes w/ Horizontal Louvers

Specialty Shape Types	Panel Width		Panel Height	
	Min.	Max	Min.	Max
Circle	15	36	15	36
Half Circle	20	36	10	18
Quarter Circle	10	36	10	36
Eyebrow	20	36	8	8
Elongated Eyebrow	20	36	10	18
Oval	10	36	16	48
Hexagon	15	36	15	36
Octagon	15	36	15	36
Triangle	15	36	13	31 1/8


Specialty Shapes Continued

Contoured Arches




- ☒ Standard tilt, offset tilt or hidden tilt is available.
- ☒ When ordering hidden tilt, there may be a need to place a regular tilt bar at the center of the panel on the back side. This will happen only for the top 3 or 4 louvers because of the curved shape
- ☒ As a reminder for Z frames, if you have a perfect half circle window that is less than 30" wide, Bullnose Z frame is the only frame available.


Rear tilt bar connecting upper louvers



Rake or Slopes



- ☒ Raked or sloped top shutters, have a straight angled top. The shutters are manufactured with an angled top rail to conform with the opening.
- ☒ Standard tilt, offset tilt or hidden tilt is available.
- ☒ When ordering hidden tilt, there may be a need to place a regular tilt bar at the center of the panel on the back side. This will happen only for the top 3 or 4 louvers because of the curved shape




Specialty Shapes Continued

French Doors


Routed Notch Out

- ☒ A rounded notch is made on the frame to accommodate a knob handle that is too close to the shutter frame.
- ☒ Notch can be between .25" to .375". Specify the top & bottom of the notch from the bottom of the shutter.
- ☒ Height of the notch is made to order




Rectangular Cut Out

- ☒ Generally needed to accommodate handles on French doors.
- ☒ A custom rectangular cutout is made to the frame and shutter panel.
- ☒ French Door L Frame will clear most 2.5" and 3.5" louver situations. Hidden tilt needs additional 1/2" depth
- ☒ Surcharge applies.




Curved Cut Out

- ☒ Generally needed to accommodate handles on French doors.
- ☒ A custom curved cutout is made to the frame and shutter panel.
- ☒ French Door L Frame will clear most 2.5" and 3.5" louver situations. Hidden tilt needs additional 1/2" depth.
- ☒ Surcharge applies.



French Door Cut Out Frames



When using the 3.5" or 4.5" louvers with Hidden Tilt rod, you may need to add an extension. Please refer to the louver clearance section on this product manual.

Surcharge applies.
Hidden Tilt rod requires additional 1/2" depth.