



Product Reference & Manufacturer Price List

606 Fountain Parkway, Grand Prairie, TX 75050

Phone: 800-872-2693 Fax: 800-422-2693

Sales@royalwindowsinc.com


Updated August, 2023

Warranty Updated

Table of Contents

2" Royal Wood Blinds	1
2 ½" Envirowood II Blinds	2
2" Envirowood Blinds	3
2 ½" Custom Express Fauxwood Blinds	4
2" Custom Express Fauxwood Blinds	5
2" Budget Cordless Fauxwood	6
2 ½" Budget CORDLESS Fauxwood Blinds	7
2" Expression Blinds	8
1" Crown Aluminum Blinds	9
1" Regal Aluminum Blinds	10
2" CORDLESS Stock Faux Wood Blinds	11-12
1" CORDLESS Stock Vinyl Plus Blinds	13-14
3 1/2" Stock PVC Vertical Blinds	15
3 1/2" PVC Express Vertical Blinds	16
3 1/2" Curved PVC Custom Vertical Blinds	17
Royal Arch and Quarter Royal Arch	18
Elegant Arch and Quarter Elegant Arch	19
Royal Eyebrow and Quarter Royal Eyebrow	20
Smart Arch	21
How to Measure Arch	22
Roller Shades Program	23-28
Redi-Shade	30
Miscellaneous Price for Repairs and Parts	31
Policies & Procedures	32

2" Royal Wood Blinds

Standard Features	• 2" Select Basswood Slat • 3" Signature Valance • 2" x 2 ¼" Steel Head Rail • Trapezoid Bottom Rail • Tilter Left and Lift Cord Right • Wand Tilt • Valance Return Size 3 1/2" • Color Coordinated Cord & Ladder		Colors <table><tr><td>W01 White</td><td>W04 Alabaster</td></tr><tr><td>W06 Pecan</td><td>W07 Cherry</td></tr><tr><td>W08 Dark Teak</td><td>W11 Chestnut</td></tr><tr><td>W12 Light Oak</td><td>W100 Pure White</td></tr><tr><td>W201 Mahogany</td><td>W901 Almost White</td></tr></table>	W01 White	W04 Alabaster	W06 Pecan	W07 Cherry	W08 Dark Teak	W11 Chestnut	W12 Light Oak	W100 Pure White	W201 Mahogany	W901 Almost White													
W01 White	W04 Alabaster																									
W06 Pecan	W07 Cherry																									
W08 Dark Teak	W11 Chestnut																									
W12 Light Oak	W100 Pure White																									
W201 Mahogany	W901 Almost White																									
Options	<table><tr><td>1. 1-CH RTS Remote Control *</td><td>Net \$65</td></tr><tr><td>2. 5- CH RTS Remote Control *</td><td>Net \$85</td></tr><tr><td>3. Somfy RTS WireFree Tilt Motor *</td><td>Net \$125</td></tr><tr><td>4. Cotton Tape 1 ½"</td><td>Add 15%</td></tr><tr><td>5. Route Less.....</td><td>Add 15%</td></tr><tr><td>6. Three on One Head Rail.....</td><td>Add 15%</td></tr><tr><td>7. Two on One Head Rail</td><td>Add 10%</td></tr><tr><td>8. Tile Cut Out</td><td>\$10.00 each net</td></tr><tr><td>9. Cord Tilt.....</td><td>N/C</td></tr><tr><td>10. Stop Ball</td><td>N/C</td></tr><tr><td>11. Hold Downs / Spacers</td><td>N/C</td></tr><tr><td>12. Control Position: L-R, R-L, L-L, R-R..</td><td>N/C</td></tr></table>	1. 1-CH RTS Remote Control *	Net \$65	2. 5- CH RTS Remote Control *	Net \$85	3. Somfy RTS WireFree Tilt Motor *	Net \$125	4. Cotton Tape 1 ½"	Add 15%	5. Route Less.....	Add 15%	6. Three on One Head Rail.....	Add 15%	7. Two on One Head Rail	Add 10%	8. Tile Cut Out	\$10.00 each net	9. Cord Tilt.....	N/C	10. Stop Ball	N/C	11. Hold Downs / Spacers	N/C	12. Control Position: L-R, R-L, L-L, R-R..	N/C	Specifications • Minimum Width 6" Net • Minimum Length 10" • Maximum Width As One Blind 96" • Maximum Length 120" • Blinds 13" And Under Will Have Center Tilt Only • Blinds 13 1/8" – 17" Will Have Split Control L-R or R-L • Minimum Return Size Is 5/8" Factory Allowance (+ or – 1/8")
1. 1-CH RTS Remote Control *	Net \$65																									
2. 5- CH RTS Remote Control *	Net \$85																									
3. Somfy RTS WireFree Tilt Motor *	Net \$125																									
4. Cotton Tape 1 ½"	Add 15%																									
5. Route Less.....	Add 15%																									
6. Three on One Head Rail.....	Add 15%																									
7. Two on One Head Rail	Add 10%																									
8. Tile Cut Out	\$10.00 each net																									
9. Cord Tilt.....	N/C																									
10. Stop Ball	N/C																									
11. Hold Downs / Spacers	N/C																									
12. Control Position: L-R, R-L, L-L, R-R..	N/C																									

For Inside Mount: Deduction 1/2" on Width, Deduction 1/8" on Valance **For Outside Mount:** No Deduction on Width, Add 2" to Valance


* Maximum Blind Size for Motorized Blinds: 96" W x 120" H or 80 sq ft.

Length Up To	Width Up To																				
	24	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144
30"	50	65	78	90	103	114	128	142	151	164	175	187	200	213	232	242	250	259	269	277	288
36"	62	78	90	104	119	128	142	156	166	180	198	210	219	235	255	266	276	287	296	307	317
42"	72	85	99	113	129	144	160	175	185	200	218	228	240	259	279	291	302	313	323	335	347
48"	78	100	107	120	138	154	173	190	192	208	238	255	272	286	317	330	342	358	366	379	397
54"	81	102	116	133	152	170	189	208	219	238	264	288	300	315	350	363	378	389	404	418	433
60"	90	109	123	146	167	183	204	224	246	267	281	301	321	348	373	389	403	418	432	446	462
66"	100	120	129	159	181	200	221	243	269	291	313	335	358	383	416	433	449	465	481	498	515
72"	108	126	146	169	193	214	236	260	290	314	333	356	380	406	441	459	477	495	510	528	546
78"	113	131	158	185	211	233	257	282	309	334	358	383	410	438	475	495	513	532	550	569	588
84"	118	139	166	197	226	247	279	308	329	356	385	414	441	473	511	533	553	574	593	613	634
90"	126	147	176	206	235	265	294	322	355	384	411	440	469	503	544	567	589	611	633	652	671
96"	129	152	183	212	242	278	303	334	366	397	429	460	491	526	569	593	616	639	663	683	702
102"	132	155	187	222	253	285	318	350	385	418	450	483	515	552	596	622	646	670	695	715	736
108"	142	174	210	234	268	303	337	371	415	448	467	501	534	572	618	645	671	695	721	742	764
114"	151	196	235	248	284	323	351	394	446	483	485	520	554	594	643	670	696	721	749	813	825
120"	162	219	265	271	299	344	365	416	480	519	532	540	575	616	667	695	722	749	777	824	849

Please Note: Sizes are available as a single blind. However, sizes to the right of this line are not recommended as single blinds.

Multiple blinds on one headrail are recommended.

2 ½" Envirowood II Blinds

Standard Features	• 2 ½" Elliptical PVC Foam Slat • 3 ¼" Majestic Valance • 2" x 2 ¼" Steel Head Rail • 2 ¼" Trapezoid Bottom Rail • Tilter Left and Lift Cord Right • Wand Tilt • Valance Return Size 3 ¾" • Color Coordinated Cord & Ladder		Colors <table><tr><td>Smooth Design</td><td>Embossed Design</td></tr><tr><td>EE 22 White</td><td>EES 02 White</td></tr><tr><td>EE 33 Antique White</td><td>EES 06 Birch</td></tr><tr><td>EE 44 Alabaster</td><td>EES 08 Cherry</td></tr></table>	Smooth Design	Embossed Design	EE 22 White	EES 02 White	EE 33 Antique White	EES 06 Birch	EE 44 Alabaster	EES 08 Cherry													
Smooth Design	Embossed Design																							
EE 22 White	EES 02 White																							
EE 33 Antique White	EES 06 Birch																							
EE 44 Alabaster	EES 08 Cherry																							
Options	<table><tr><td>1. 1-CH RTS Remote Control *</td><td>Net \$65</td></tr><tr><td>2. 5- CH RTS Remote Control *</td><td>Net \$85</td></tr><tr><td>3. Somfy RTS WireFree Tilt Motor *</td><td>Net \$125</td></tr><tr><td>4. Route Less</td><td>Add 15%</td></tr><tr><td>5. Three on One Head Rail.....</td><td>Add 15%</td></tr><tr><td>6. Two on One Head Rail</td><td>Add 10%</td></tr><tr><td>7. Tile Cut Out</td><td>\$10.00 each net</td></tr><tr><td>8. Cord Tilt.....</td><td>N/C</td></tr><tr><td>9. Stop Ball</td><td>N/C</td></tr><tr><td>10. Hold Downs / Spacers</td><td>N/C</td></tr><tr><td>11. Control Position : L-R, R-L, L-L, R-R..</td><td>N/C</td></tr></table>	1. 1-CH RTS Remote Control *	Net \$65	2. 5- CH RTS Remote Control *	Net \$85	3. Somfy RTS WireFree Tilt Motor *	Net \$125	4. Route Less	Add 15%	5. Three on One Head Rail.....	Add 15%	6. Two on One Head Rail	Add 10%	7. Tile Cut Out	\$10.00 each net	8. Cord Tilt.....	N/C	9. Stop Ball	N/C	10. Hold Downs / Spacers	N/C	11. Control Position : L-R, R-L, L-L, R-R..	N/C	Specifications • Minimum Width 6" Net • Minimum Length 10" • Maximum Width As One Blind 96" • Maximum Length 120" • Blinds 13" And Under Will Have Center Tilt Only • Blinds 13 1/8" – 17" Will Have Split Control L-R or R-L • Minimum Return Size Is 5/8" Factory Allowance (+ or – 1/8")
1. 1-CH RTS Remote Control *	Net \$65																							
2. 5- CH RTS Remote Control *	Net \$85																							
3. Somfy RTS WireFree Tilt Motor *	Net \$125																							
4. Route Less	Add 15%																							
5. Three on One Head Rail.....	Add 15%																							
6. Two on One Head Rail	Add 10%																							
7. Tile Cut Out	\$10.00 each net																							
8. Cord Tilt.....	N/C																							
9. Stop Ball	N/C																							
10. Hold Downs / Spacers	N/C																							
11. Control Position : L-R, R-L, L-L, R-R..	N/C																							

For Inside Mount: Deduction ½" on Width, Deduction 1/8" on Valance **For Outside Mount:** No Deduction on Width, Add 2" to Valance


* Maximum Blind Size for Motorized Blinds: 96" W x 120" H or 80 sq ft.

Length Up To	Width Up To																				
	24	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144
30"	36	46	55	65	74	82	88	94	107	116	125	133	142	149	154	163	173	181	190	205	219
36"	45	55	65	74	85	92	98	104	119	127	141	150	157	163	170	180	189	199	209	225	240
42"	54	60	70	81	92	101	106	113	127	142	155	162	171	178	186	197	207	218	228	245	264
48"	56	72	76	85	98	108	114	123	136	148	170	182	193	202	210	223	234	247	258	278	300
54"	58	73	83	94	108	114	125	131	149	170	187	205	214	223	231	245	258	273	285	308	330
60"	65	78	87	104	113	123	131	141	159	189	200	215	228	238	247	263	276	292	305	329	353
66"	70	85	92	113	121	131	141	150	169	207	223	238	255	265	276	293	308	325	340	366	394
72"	77	89	104	120	127	139	149	159	181	223	236	253	270	282	292	311	327	344	360	388	417
78"	81	93	112	132	136	146	158	168	190	238	255	273	291	304	313	333	349	369	386	415	447
84"	84	98	119	141	143	155	166	177	200	253	274	294	313	328	337	358	375	396	415	446	481
90"	89	105	125	146	150	162	174	187	210	273	292	313	333	346	359	381	399	423	442	475	512
96"	92	108	130	151	158	171	183	196	219	282	305	328	349	362	372	395	414	437	457	492	530
102"	94	111	133	158	166	179	192	205	230	296	320	343	366	379	390	414	434	458	480	517	556
108"	101	124	149	167	172	186	200	215	239	319	332	356	379	394	406	429	451	476	499	537	577
114"	107	139	167	177	186	191	209	225	248	343	357	369	395	409	422	446	469	495	518	551	587
120"	114	155	187	193	199	207	218	235	258	369	372	384	409	424	438	464	486	514	538	570	604

Please Note: Sizes are available as a single blind. However, sizes to the right of this line are not recommended as single blinds.

Multiple blinds on one headrail are recommended.

2" Envirowood Blinds

Standard Features	• 2" Flat PVC Foam Slat • 3 ¼" Majestic Valance • 2" x 2 ¼" Steel Head Rail • Trapezoid Bottom Rail • Tilter Left and Lift Cord Right • Wand Tilt • Valance Return Size 3 1/2" • Color Coordinated Cord & Ladder		Colors <table><tr><th>Smooth Design</th><th>Embossed Design</th></tr><tr><td>E02 White</td><td>SE02 White</td></tr><tr><td>E03 Antique White</td><td>SE03 Antique White</td></tr><tr><td>E04 Alabaster</td><td>SE04 Alabaster</td></tr><tr><td>E05 Natural</td><td>SE05 Natural</td></tr><tr><td>E06 Birch</td><td>SE06 Birch</td></tr><tr><td>E08 Cherry</td><td>SE08 Cherry</td></tr><tr><td>E09 Mahogany</td><td>SE09 Mahogany</td></tr></table>	Smooth Design	Embossed Design	E02 White	SE02 White	E03 Antique White	SE03 Antique White	E04 Alabaster	SE04 Alabaster	E05 Natural	SE05 Natural	E06 Birch	SE06 Birch	E08 Cherry	SE08 Cherry	E09 Mahogany	SE09 Mahogany							
Smooth Design	Embossed Design																									
E02 White	SE02 White																									
E03 Antique White	SE03 Antique White																									
E04 Alabaster	SE04 Alabaster																									
E05 Natural	SE05 Natural																									
E06 Birch	SE06 Birch																									
E08 Cherry	SE08 Cherry																									
E09 Mahogany	SE09 Mahogany																									
Options	<table><tr><td>1. 1-CH RTS Remote Control *</td><td>Net \$65</td></tr><tr><td>2. 5- CH RTS Remote Control *</td><td>Net \$85</td></tr><tr><td>3. Somfy RTS WireFree Tilt Motor *</td><td>Net \$125</td></tr><tr><td>4. Cotton Tape 1 ½"</td><td>Add 15%</td></tr><tr><td>5. Route Less</td><td>Add 15%</td></tr><tr><td>6. Three on One Head Rail.....</td><td>Add 15%</td></tr><tr><td>7. Two on One Head Rail</td><td>Add 10%</td></tr><tr><td>8. Tile Cut Out</td><td>\$10.00 each net</td></tr><tr><td>9. Cord Tilt</td><td>N/C</td></tr><tr><td>10. Stop Ball</td><td>N/C</td></tr><tr><td>11. Hold Downs / Spacers</td><td>N/C</td></tr><tr><td>12. Control Position : L-R, R-L, L-L, R-R..</td><td>N/C</td></tr></table>	1. 1-CH RTS Remote Control *	Net \$65	2. 5- CH RTS Remote Control *	Net \$85	3. Somfy RTS WireFree Tilt Motor *	Net \$125	4. Cotton Tape 1 ½"	Add 15%	5. Route Less	Add 15%	6. Three on One Head Rail.....	Add 15%	7. Two on One Head Rail	Add 10%	8. Tile Cut Out	\$10.00 each net	9. Cord Tilt	N/C	10. Stop Ball	N/C	11. Hold Downs / Spacers	N/C	12. Control Position : L-R, R-L, L-L, R-R..	N/C	Specifications • Minimum Width 6" Net • Minimum Length 10" • Maximum Width As One Blind 96" • Maximum Length 120" • Blinds 13" And Under Will Have Center Tilt Only • Blinds 13 1/8" – 17" Will Have Split Control L-R or R-L • Minimum Return Size Is 5/8" Factory Allowance (+ or – 1/8")
1. 1-CH RTS Remote Control *	Net \$65																									
2. 5- CH RTS Remote Control *	Net \$85																									
3. Somfy RTS WireFree Tilt Motor *	Net \$125																									
4. Cotton Tape 1 ½"	Add 15%																									
5. Route Less	Add 15%																									
6. Three on One Head Rail.....	Add 15%																									
7. Two on One Head Rail	Add 10%																									
8. Tile Cut Out	\$10.00 each net																									
9. Cord Tilt	N/C																									
10. Stop Ball	N/C																									
11. Hold Downs / Spacers	N/C																									
12. Control Position : L-R, R-L, L-L, R-R..	N/C																									


For Inside Mount: Deduction ½" on Width, Deduction 1/8" on Valance **For Outside Mount:** No Deduction on Width, Add 2" to Valance
 * Maximum Blind Size for Motorized Blinds: 96" W x 120" H or 80 sq ft.

Length Up To	Width Up To																				
	24	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144
30"	32	41	49	58	66	73	79	84	96	104	112	119	127	133	138	146	155	162	170	183	196
36"	40	49	58	66	76	82	88	93	106	114	126	134	140	146	152	161	169	178	187	201	215
42"	48	54	63	72	82	90	95	101	114	127	139	145	153	159	166	176	185	195	204	219	236
48"	50	64	68	76	88	97	102	110	122	132	152	163	173	181	188	199	209	221	231	249	268
54"	52	65	74	84	97	102	112	117	133	152	167	183	191	199	207	219	231	244	255	275	295
60"	58	70	78	93	101	110	117	126	142	169	179	192	204	213	221	235	247	261	273	294	316
66"	63	76	82	101	108	117	126	134	151	185	199	213	228	237	247	262	275	291	304	327	352
72"	69	80	93	107	114	124	133	142	162	199	211	226	241	252	261	278	292	308	322	347	373
78"	72	83	100	118	122	131	141	150	170	213	228	244	260	272	280	298	312	330	345	371	400
84"	75	88	106	126	128	139	148	158	179	226	245	263	280	293	301	320	335	354	371	399	430
90"	80	94	112	131	134	145	156	167	188	244	261	280	298	309	321	341	357	378	395	425	458
96"	82	97	116	135	141	153	164	175	196	252	273	293	312	324	333	353	370	391	409	440	474
102"	84	99	119	141	148	160	172	183	206	265	286	307	327	339	349	370	388	410	429	462	497
108"	90	111	133	149	154	166	179	192	214	285	297	318	339	352	363	384	403	426	446	480	516
114"	96	124	149	158	166	171	187	201	222	307	319	330	353	366	377	399	419	443	463	493	525
120"	102	139	167	173	178	185	195	210	231	330	333	343	366	379	392	415	435	460	481	510	540

Please Note: Sizes are available as a single blind. However, sizes to the right of this line are not recommended as single blinds.

Multiple blinds on one headrail are recommended.

2 ½" Custom Express Fauxwood Blinds


Standard Features	2 ½" Elliptical PVC Foam Slat 3 ¼" Majestic Valance 2" x 2 ¼" Steel Head Rail 2 ¼" Trapezoid Bottom Rail - Tilter Left and Lift Cord Right - Wand Tilt - Valance Return Size 3 ¾" - Color Coordinated Cord & Ladder  	Colors Smooth Design CEF 22 White CEF 33 Antique White CEF 44 Alabaster
Options	1. Cord Tilt..... N/C 2. Stop Ball..... N/C 3. Hold Downs / Spacers N/C 4. Tile Cut Out \$10 each net 5. Common Valance \$1.50 / FT.	Specifications - Minimum Width 6" Net - Minimum Length 10" - Maximum Width 72" - Maximum Length 96" - Minimum Return Size Is 5/8" - Blinds 13" And Under Will Have Center Tilt Only

Factory Allowance (+ or – 1/8")

For Inside Mount: Deduction ½" on Width, Deduction 1/8" on Valance **For Outside Mount:** No Deduction on Width, Add 2" to Valance

<i>Length Up To</i>	<i>Width Up To</i>												
	<i>24"</i>	<i>28"</i>	<i>32"</i>	<i>36"</i>	<i>40"</i>	<i>44"</i>	<i>48"</i>	<i>52"</i>	<i>56"</i>	<i>60"</i>	<i>64"</i>	<i>68"</i>	<i>72"</i>
30"	35	40	47	53	58	64	70	76	82	88	94	100	106
36"	43	48	55	62	67	75	82	88	93	97	104	109	114
42"	49	54	61	67	73	81	88	94	101	109	116	120	126
48"	53	59	66	73	78	86	94	100	110	119	124	130	136
54"	56	63	72	80	86	96	105	111	124	130	138	145	151
60"	62	69	77	85	93	104	114	120	130	140	148	158	168
66"	68	75	84	92	98	111	124	130	141	151	159	172	184
72"	74	80	90	100	108	120	132	138	150	162	170	185	199
78"	78	84	96	107	117	131	144	150	163	176	184	198	212
84"	81	88	101	114	125	149	155	161	177	192	200	212	225
90"	87	98	112	120	140	165	175	180	195	205	218	227	240
96"	97	105	120	135	155	180	185	197	211	225	234	244	260

2" Custom Express Fauxwood Blinds


Standard Features	• 2" Flat PVC Foam Slat • 3 ¼" Majestic Valance • 2" x 2 ¼" Steel Head Rail • Trapezoid Bottom Rail • Tilter Left and Lift Cord Right • Wand Tilt • Valance Return Size 3 1/2" • Color Coordinated Cord & Ladder		Colors Smooth Design Embossed Design CE 02 White CES 02 White CE 03 Antique White CES 04 Alabaster CE 04 Alabaster CES 05 Natural CES 08 Cherry									
Options	<table><tr><td>1. Cord Tilt.....</td><td>N/C</td></tr><tr><td>2. Stop Ball</td><td>N/C</td></tr><tr><td>3. Hold Downs / Spacers</td><td>N/C</td></tr><tr><td>4. Tile Cut Out</td><td>\$10 each net</td></tr><tr><td>5. Common Valance</td><td>\$1.50 / FT.</td></tr></table>	1. Cord Tilt.....	N/C	2. Stop Ball	N/C	3. Hold Downs / Spacers	N/C	4. Tile Cut Out	\$10 each net	5. Common Valance	\$1.50 / FT.	Specifications • Minimum Width 6" Net • Minimum Length 10" • Maximum Width 72" • Maximum Length 96" • Blinds 13" And Under Will Have Center Tilt Only • Minimum Return Size Is 5/8"
1. Cord Tilt.....	N/C											
2. Stop Ball	N/C											
3. Hold Downs / Spacers	N/C											
4. Tile Cut Out	\$10 each net											
5. Common Valance	\$1.50 / FT.											

Factory Allowance (+ or – 1/8")

For Inside Mount: Deduction 1/2" on Width, Deduction 1/8" on Valance **For Outside Mount:** No Deduction on Width, Add 2" to Valance

Length Up To	Width Up To												
	24"	28"	32"	36"	40"	44"	48"	52"	56"	60"	64"	68"	72"
30"	35	40	47	53	58	64	70	76	82	88	94	100	106
36"	43	48	55	62	67	75	82	88	93	97	104	109	114
42"	49	54	61	67	73	81	88	94	101	109	116	120	126
48"	53	59	66	73	78	86	94	100	110	119	124	130	136
54"	56	63	72	80	86	96	105	111	124	130	138	145	151
60"	62	69	77	85	93	104	114	120	130	140	148	158	168
66"	68	75	84	92	98	111	124	130	141	151	159	172	184
72"	74	80	90	100	108	120	132	138	150	162	170	185	199
78"	78	84	96	107	117	131	144	150	163	176	184	198	212
84"	81	88	101	114	125	149	155	161	177	192	200	212	225
90"	87	98	112	120	140	165	175	180	195	205	218	227	240
96"	97	105	120	135	155	180	185	197	211	225	234	244	260

2 ½" Budget CORDLESS Fauxwood Blinds


Standard Features	• 2 ½" Flat PVC Foam Slat • 3 ¼" Majestic Valance • 2" x 2 ¼" Steel Head Rail • Hollow PVC Bottom Rail • Wand Tilt • Valance Return Size 3 ¾" • Color Coordinated Ladder 	Colors Smooth Design BCF 22 White
Options	1. Hold Downs / Spacers 2. Common Valance N/C \$1.50 / FT.	Specifications • Minimum Width 16" Net • Minimum Length 24" • Maximum Width 72" • Maximum Length 96" • Minimum Return Size Is 5/8"

Factory Allowance (+ or – 1/8")

For Inside Mount: Deduction ½" on Width, Deduction 1/8" on Valance **For Outside Mount:** No Deduction on Width, Add 2" to Valance

<i>Length Up To</i>	<i>Width Up To</i>												
	<i>24"</i>	<i>28"</i>	<i>32"</i>	<i>36"</i>	<i>40"</i>	<i>44"</i>	<i>48"</i>	<i>52"</i>	<i>56"</i>	<i>60"</i>	<i>64"</i>	<i>68"</i>	<i>72"</i>
30"	35	40	47	53	58	64	70	76	82	88	94	100	106
36"	43	48	55	62	67	75	82	88	93	97	104	109	114
42"	49	54	61	67	73	81	88	94	101	109	116	120	126
48"	53	59	66	73	78	86	94	100	110	119	124	130	136
54"	56	63	72	80	86	96	105	111	124	130	138	145	151
60"	62	69	77	85	93	104	114	120	130	140	148	158	168
66"	68	75	84	92	98	111	124	130	141	151	159	172	184
72"	74	80	90	100	108	120	132	138	150	162	170	185	199
78"	78	84	96	107	117	131	144	150	163	176	184	198	212
84"	81	88	101	114	125	149	155	161	177	192	200	212	225
90"	87	98	112	120	140	165	175	180	195	205	218	227	240
96"	97	105	120	135	155	180	185	197	211	225	234	244	260

2" Budget Cordless Fauxwood Blinds


Standard Features	• 2" Flat PVC Foam Slat • 3 ¼" Majestic Valance • 2" x 2 ¼" Steel Head Rail • Hollow PVC Bottom Rail • Wand Tilt • Valance Return Size 3 1/2" • Color Coordinated Ladder 	Smooth Design BC 01 Off White BC 02 White Colors Embossed Design BCS 01 Embossed Off White BCS 02 Embossed White
Options	1. Hold Downs / Spacers N/C 2. Common Valance \$1.50 / FT.	Specifications • Minimum Width 15" Net • Minimum Length 24" • Maximum Width 72" • Maximum Length 96" • Minimum Return Size Is 5/8"

Factory Allowance (+ or – 1/8")

For Inside Mount: Deduction ½" on Width, Deduction 1/8" on Valance **For Outside Mount:** No Deduction on Width, Add 2" to Valance

<i>Length Up To</i>	<i>Width Up To</i>												
	<i>24"</i>	<i>28"</i>	<i>32"</i>	<i>36"</i>	<i>40"</i>	<i>44"</i>	<i>48"</i>	<i>52"</i>	<i>56"</i>	<i>60"</i>	<i>64"</i>	<i>68"</i>	<i>72"</i>
30"	35	40	47	53	58	64	70	76	82	88	94	100	106
36"	43	48	55	62	67	75	82	88	93	97	104	109	114
42"	49	54	61	67	73	81	88	94	101	109	116	120	126
48"	53	59	66	73	78	86	94	100	110	119	124	130	136
54"	56	63	72	80	86	96	105	111	124	130	138	145	151
60"	62	69	77	85	93	104	114	120	130	140	148	158	168
66"	68	75	84	92	98	111	124	130	141	151	159	172	184
72"	74	80	90	100	108	120	132	138	150	162	170	185	199
78"	78	84	96	107	117	131	144	150	163	176	184	198	212
84"	81	88	101	114	125	149	155	161	177	192	200	212	225
90"	87	98	112	120	140	165	175	180	195	205	218	227	240
96"	97	105	120	135	155	180	185	197	211	225	234	244	260

2" Expression Blinds

Standard Features	• 2" Printed PVC Foam Slat • 3 ¼" Majestic Valance • 2" x 2 ¼" Steel Head Rail • Trapezoid Bottom Rail • Tilter Left and Lift Cord Right • Wand Tilt • Valance Return Size 3 1/2" • Color Coordinated Cord & Ladder		Colors Smooth Design 253 Pecan 254 Oak 256 Chestnut 257 Mahogany																							
Options	<table><tr><td>1. 1-CH RTS Remote Control *</td><td>Net \$65</td></tr><tr><td>2. 5- CH RTS Remote Control *</td><td>Net \$85</td></tr><tr><td>3. Somfy RTS WireFree Tilt Motor *</td><td>Net \$125</td></tr><tr><td>4. Cotton Tape 1 ½".....</td><td>Add 15%</td></tr><tr><td>5. Route Less</td><td>Add 15%</td></tr><tr><td>6. Three on One Head Rail.....</td><td>Add 15%</td></tr><tr><td>7. Two on One Head Rail</td><td>Add 10%</td></tr><tr><td>8. Tile Cut Out</td><td>\$10 each net</td></tr><tr><td>9. Cord Tilt.....</td><td>N/C</td></tr><tr><td>10. Stop Ball</td><td>N/C</td></tr><tr><td>11. Hold Downs / Spacers</td><td>N/C</td></tr><tr><td>12. Control Position : L-R, R-L, L-L, R-R..</td><td>N/C</td></tr></table>	1. 1-CH RTS Remote Control *	Net \$65	2. 5- CH RTS Remote Control *	Net \$85	3. Somfy RTS WireFree Tilt Motor *	Net \$125	4. Cotton Tape 1 ½".....	Add 15%	5. Route Less	Add 15%	6. Three on One Head Rail.....	Add 15%	7. Two on One Head Rail	Add 10%	8. Tile Cut Out	\$10 each net	9. Cord Tilt.....	N/C	10. Stop Ball	N/C	11. Hold Downs / Spacers	N/C	12. Control Position : L-R, R-L, L-L, R-R..	N/C	Specifications • Minimum Width 6" Net • Minimum Length 10" • Maximum Width As One Blind 96" • Maximum Length 120" • Blinds 13" And Under Will Have Center Tilt Only • Blinds 13 1/8" – 17" Will Have Split Control L-R or R-L • Minimum Return Size Is 5/8" Factory Allowance (+ or – 1/8")
1. 1-CH RTS Remote Control *	Net \$65																									
2. 5- CH RTS Remote Control *	Net \$85																									
3. Somfy RTS WireFree Tilt Motor *	Net \$125																									
4. Cotton Tape 1 ½".....	Add 15%																									
5. Route Less	Add 15%																									
6. Three on One Head Rail.....	Add 15%																									
7. Two on One Head Rail	Add 10%																									
8. Tile Cut Out	\$10 each net																									
9. Cord Tilt.....	N/C																									
10. Stop Ball	N/C																									
11. Hold Downs / Spacers	N/C																									
12. Control Position : L-R, R-L, L-L, R-R..	N/C																									

For Inside Mount: Deduction ½" on Width, Deduction 1/8" on Valance **For Outside Mount:** No Deduction on Width, Add 2" to Valance

* Maximum Blind Size for Motorized Blinds: 96" W x 120" H or 80 sq ft.

Length Up To	Width Up To																				
	24	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	126	132	138	144
30"	32	41	49	58	66	73	79	84	96	104	112	119	127	133	138	146	155	162	170	183	196
36"	40	49	58	66	76	82	88	93	106	114	126	134	140	146	152	161	169	178	187	201	215
42"	48	54	63	72	82	90	95	101	114	127	139	145	153	159	166	176	185	195	204	219	236
48"	50	64	68	76	88	97	102	110	122	132	152	163	173	181	188	199	209	221	231	249	268
54"	52	65	74	84	97	102	112	117	133	152	167	183	191	199	207	219	231	244	255	275	295
60"	58	70	78	93	101	110	117	126	142	169	179	192	204	213	221	235	247	261	273	294	316
66"	63	76	82	101	108	117	126	134	151	185	199	213	228	237	247	262	275	291	304	327	352
72"	69	80	93	107	114	124	133	142	162	199	211	226	241	252	261	278	292	308	322	347	373
78"	72	83	100	118	122	131	141	150	170	213	228	244	260	272	280	298	312	330	345	371	400
84"	75	88	106	126	128	139	148	158	179	226	245	263	280	293	301	320	335	354	371	399	430
90"	80	94	112	131	134	145	156	167	188	244	261	280	298	309	321	341	357	378	395	425	458
96"	82	97	116	135	141	153	164	175	196	252	273	293	312	324	333	353	370	391	409	440	474
102"	84	99	119	141	148	160	172	183	206	265	286	307	327	339	349	370	388	410	429	462	497
108"	90	111	133	149	154	166	179	192	214	285	297	318	339	352	363	384	403	426	446	480	516
114"	96	124	149	158	166	171	187	201	222	307	319	330	353	366	377	399	419	443	463	493	525
120"	102	139	167	173	178	185	195	210	231	330	333	343	366	379	392	415	435	460	481	510	540

Please Note: Sizes are available as a single blind. However, sizes to the right of this line are not recommended as single blinds.

Multiple blinds on one headrail are recommended.

1" Crown Aluminum Blinds

Standard Features	1" x 1 ½" Steel Head Rail - Steel Bottom Rail 1" x 0.006 Aluminum Slat - Clear PVC Wand Tilter - Tilter Left and Lift Cord Right - Color Coordinated Cord & Ladder	Colors 026 Smokey Grey 062 Char Brown 112 Alabaster 233 Black Satin 034 Brushed Aluminum 100 Vanilla 205 White Satin 386 Snowcap White
Options	1. Three on One Head Rail..... Net \$25 2. Two on One Head Rail Net \$15 3. Tile Cut Out \$10 each net 4. Two Slat Valance..... N/C 5. Hold Downs / Spacers N/C 6. Control Position : L-R, R-L, L-L, R-R.. N/C	Specifications - Minimum Width 6" Net - Minimum Length 10" - Maximum Width As One Blind 120" - Maximum Length 130" - Blinds 12" And Under Will Have Center Tilt Only - Blinds 12 1/8" – 17" Will Have Split Control L-R or R-L

Factory Allowance (+ or – 1/8")

For Inside Mount: Deduction ½" on Width, Deduction 1/8" on Valance **For Outside Mount:** No Deduction on Width, No Valance Return.

Length Up To	Width Up To																
	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"
30"	38	50	58	68	78	86	94	100	112	122	132	140	150	156	162	172	182
36"	48	58	68	78	90	96	104	110	124	134	148	158	164	172	178	188	198
42"	56	64	74	84	98	106	112	120	134	150	164	170	180	188	194	206	218
48"	58	70	80	90	104	114	120	130	144	156	178	192	204	212	220	234	246
54"	62	76	88	100	114	120	132	138	156	178	196	214	224	234	244	258	272
60"	68	82	92	110	120	130	138	148	166	200	210	226	240	250	260	276	290
66"	76	90	98	118	128	138	148	158	178	218	234	250	268	278	290	308	324
72"	82	94	110	126	134	146	156	168	190	234	248	266	284	296	308	326	342
78"	84	98	118	138	144	154	166	176	200	250	268	286	306	318	328	350	366
84"	88	104	124	148	152	164	174	186	210	266	288	308	330	344	354	376	394
90"	94	110	132	154	158	170	184	196	220	288	308	328	350	364	376	400	420
96"	96	114	136	158	166	180	192	206	230	296	320	344	366	380	392	414	434
102"	100	116	140	166	174	188	202	214	242	312	336	360	384	398	410	434	456
108"	106	132	158	176	182	194	210	226	252	336	348	374	398	414	426	450	472
114"	112	146	176	186	194	202	220	236	262	360	362	388	414	430	444	468	492
120"	120	164	196	204	210	218	228	248	272	388	392	402	430	446	460	486	510
126"	128	184	220	222	226	236	248	258	282	416	422	430	446	462	478	506	530
130"	136	222	246	254	270	278	286	292	302	448	458	470	484	492	498	524	552

1" Regal Aluminum Blinds

Standard Features	1" x 1" Steel Head Rail - C-Channel Steel Bottom Rail 1" x 0.006 Aluminum Slat - Clear PVC Wand Tilter - Tilter Left and Lift Cord Right - Color Coordinated Cord & Ladder	Colors 026 Smokey Grey 062 Char Brown 112 Alabaster 233 Black Satin 034 Brushed Aluminum 100 Vanilla 205 White Satin 386 Snowcap White
Options	1. Three on One Head Rail..... Net \$25 2. Two on One Head Rail Net \$15 3. Tile Cut Out \$10 each net 4. Two Slat Valance..... N/C 5. Hold Downs / Spacers N/C 6. Control Position : L-R, R-L, L-L, R-R.. N/C	Specifications - Minimum Width 6" Net - Minimum Length 10" - Maximum Width As One Blind 120" - Maximum Length 130" - Blinds 12" And Under Will Have Center Tilt Only - Blinds 12 1/8" – 17" Will Have Split Control L-R or R-L

Factory Allowance (+ or – 1/8")

For Inside Mount: Deduction 1/2" on Width, Deduction 1/8" on Valance **For Outside Mount:** No Deduction on Width, No Valance Return

<i>Length Up To</i>	<i>Width Up To</i>																
	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"	114"	120"
30"	38	50	58	68	78	86	94	100	112	122	132	140	150	156	162	172	182
36"	48	58	68	78	90	96	104	110	124	134	148	158	164	172	178	188	198
42"	56	64	74	84	98	106	112	120	134	150	164	170	180	188	194	206	218
48"	58	70	80	90	104	114	120	130	144	156	178	192	204	212	220	234	246
54"	62	76	88	100	114	120	132	138	156	178	196	214	224	234	244	258	272
60"	68	82	92	110	120	130	138	148	166	200	210	226	240	250	260	276	290
66"	76	90	98	118	128	138	148	158	178	218	234	250	268	278	290	308	324
72"	82	94	110	126	134	146	156	168	190	234	248	266	284	296	308	326	342
78"	84	98	118	138	144	154	166	176	200	250	268	286	306	318	328	350	366
84"	88	104	124	148	152	164	174	186	210	266	288	308	330	344	354	376	394
90"	94	110	132	154	158	170	184	196	220	288	308	328	350	364	376	400	420
96"	96	114	136	158	166	180	192	206	230	296	320	344	366	380	392	414	434
102"	100	116	140	166	174	188	202	214	242	312	336	360	384	398	410	434	456
108"	106	132	158	176	182	194	210	226	252	336	348	374	398	414	426	450	472
114"	112	146	176	186	194	202	220	236	262	360	362	388	414	430	444	468	492
120"	120	164	196	204	210	218	228	248	272	388	392	402	430	446	460	486	510
126"	128	184	220	222	226	236	248	258	282	416	422	430	446	462	478	506	530
130"	136	222	246	254	270	278	286	292	302	448	458	470	484	492	498	524	552

2" Cordless STOCK Faux Wood Blinds

Standard Features: 2" Flat PVC Foam Slat, 3 1/4" Majestic Valance, 2" x 2 1/4" Steel Head Rail, Square PVC Bottom Rail, Left Wand Tilt Only, Hardware Included. **All Sizes are Exact Sizes. Not Returnable.**

Cut-Down Width (Add \$5.00 per blind) Can be cut 1/4" – 1" on each side

Shorten Length (Add \$7.00 per blind) Can be shortened up to 8"

Customization: Factory Allowance (+ or – 1/8")

For Outside Mount Blinds,
Return Size is 3 1/2"
Hold Downs / Spacers



Color: CLWH Smooth White

li	Length 24"	Wand
1	22.125 x 24	18"
2	23.5 x 24	18"
3	34.125 x 24	18"
	Length 36"	
4	22.125 x 36	18"
5	22.5 x 36	18"
6	26.5 x 36	18"
7	28 x 36	18"
8	28.375 x 36	18"
9	30.5 x 36	18"
10	33.5 x 36	18"
11	33.875 x 36	18"
12	34.125 x 36	18"
13	34.625 x 36	18"
14	35.625 x 36	18"
15	46.125 x 36	18"
16	46.625 x 36	18"
17	58.625 x 36	18"
18	70.125 x 36	18"
19	70.5 x 36	18"
20	71.5 x 36	18"
	Length 43"	
21	22.5 x 43	24"
22	24 x 43(OB)	24"
23	28.375 x 43	24"
24	34.125 x 43	24"
25	46.125 x 43	24"
26	58.125 x 43	24"
27	70.125 x 43	24"

No	Length 48"	Wand
28	16.5 x 48	18"
29	21.75 x 48	24"
30	22.125 x 48	24"
31	22.5 x 48	24"
32	26.5 x 48	24"
33	28 x 48	24"
34	28.375 x 48	24"
35	30.5 x 48	24"
36	30.75 x 48	24"
37	33.5 x 48	24"
38	33.875 x 48	24"
39	34.125 x 48	24"
40	34.625 x 48	24"
41*	35.625 x 48	24"
42	38.5 x 48	24"
43	41.5 x 48	24"
44	42.5 x 48	24"
45	44.5 x 48	24"
46	45.75 x 48	24"
47	46.125 x 48	24"
48	46.625 x 48	24"
49	47.5 x 48	24"
50	58.125 x 48	24"
51	58.625 x 48	24"
52	59.5 x 48	24"
53	62.5 x 48	24"
54	70.125 x 48	24"
55	70.5 x 48	24"
56	71.5 x 48	24"

No	Length 60"	Wand
57	16.25 x 60	18"
58	16.5 x 60	18"
59	18.5 x 60	18"
60	21.75 x 60	24"
61	22.125 x 60	24"
62	22.5 x 60	24"
63	22.875 x 60	24"
64	23.5 x 60	24"
65	24 x 60	24"
66	25.5 x 60	24"
67	26.5 x 60	24"
68	27.75 x 60	29"
69	28 x 60	29"
70	28.375 x 60	29"
71	29.875 x 60	29"
72	30.5 x 60	29"
73	30.75 x 60	29"
74	31.5 x 60	29"
75	32.5 x 60	29"
76	33.5 x 60	29"
77	33.875 x 60	29"
78	34.125 x 60	29"
79	34.375 x 60	29"
80	34.625 x 60	29"
81	35 x 60	29"
82	35.625 x 60	29"
83	36.5 x 60	29"
84	37.5 x 60	29"
85	38.5 x 60	29"

No	Length 60"	Wand
86	40.125 x 60	29"
87	40.5 x 60	29"
88	41.5 x 60	29"
89	42.125 x 60	29"
90	42.5 x 60	29"
91	44.5 x 60	29"
92	45.75 x 60	29"
93	46.125 x 60	29"
94	46.625 x 60	29"
95	47.5 x 60	29"
96	49.5 x 60	29"
97	51.75 x 60	29"
98	53.5 x 60	29"
99	55.5 x 60	29"
100	57.75 x 60	29"
101	58.125 x 60	29"
102	58.625 x 60	29"
103	59.5 x 60	29"
104	61.5 x 60	29"
105	62.5 x 60	29"
106	64.5 x 60	29"
107	66.5 x 60	29"
108	68.5 x 60	29"
109	69.25 x 60	29"
110	69.75 x 60	29"
111	70.125 x 60	29"
112	70.5 x 60	29"
113	71 x 60	29"
114	71.5 x 60	29"

2" Cordless STOCK Faux Wood Blinds (Cont')

No	Length 64"	Wand
115	16.5 x 64	18"
116	22.5 x 64	24"
117	26.5 x 64	24"
118	28 x 64	29"
119	29.875 x 64	29"
120	30.5 x 64	29"
121	31.5 x 64	29"
122	32.5 x 64	29"
123	33.5 x 64	29"
124	34.125 x 64	29"
125	34.625 x 64	29"
126	35.625 x 64	29"
127	36.5 x 64	29"
128	38.5 x 64	29"
129	42.5 x 64	29"
130	46.625 x 64	29"
131	47.5 x 64	29"
132	51.75 x 64	29"
133	53.5 x 64	29"
134	70.125 x 64	29"
	Length 72"	
135	16.25 x 72	18"
136	16.5 x 72	18"
137	18.5 x 72	18"
138	21.75 x 72	24"
139	22.125 x 72	24"
140	22.5 x 72	24"
141	22.875 x 72	24"
142	23.5 x 72	24"
143	24 x 72 (OB)	24"
144	25 x 72 (OB)	24"
145	25.5 x 72	24"
146	26.5 x 72	24"

No	Length 72"	Wand
147	27.75 x 72	29"
148	28 x 72	29"
149	28.375 x 72	29"
150	29.875 x 72	29"
151	30.5 x 72	29"
152	30.75 x 72	29"
153	31.5 x 72	29"
154	32.5 x 72	29"
155	33.5 x 72	31"
156	33.875 x 72	31"
157	34.125 x 72	31"
158	34.375 x 72	31"
159	34.625 x 72	31"
160	35 x 72	31"
161	35.625 x 72	31"
162	36.5 x 72	31"
163	37.5 x 72	31"
164	38.5 x 72	31"
165	40.125 x 72	31"
166	40.5 x 72	31"
167	41.5 x 72	31"
168	42.125 x 72	31"
169	42.5 x 72	31"
170	44.5 x 72	31"
171	45.75 x 72	31"
172	46.125 x 72	31"
173	46.625 x 72	31"
174	47.5 x 72	31"
175	49.5 x 72	31"
176	51.75 x 72	31"
177	53.5 x 72	31"
178	55.5 x 72	31"
179	57.75 x 72	31"

No	Length 72"	Wand
180	58.125 x 72	31"
181	58.625 x 72	31"
182	61.5 x 72	31"
183	62.5 x 72	31"
184	64.5 x 72	31"
185	66.5 x 72	31"
186	68.5 x 72	31"
187	69.25 x 72	31"
188	69.75 x 72	31"
189	70.125 x 72	31"
190	70.5 x 72	31"
191	71 x 72	31"
192	71.5 x 72	31"
	Length 78"	
193	30.5 x 78	31"
194	34.125 x 78	31"
195	35.625 x 78	31"
196	46.625 x 78	31"
	Length 84"	
197	16.5 x 84	18"
198	22.125 x 84	24"
199	22.5 x 84	24"
200	24 x 84 (OB)	24"
201	25 x 84 (OB)	24"
202	26.5 x 84	24"
203	28.375 x 84	29"
204	30.5 x 84	29"
205	31.5 x 84	29"
206	33.875 x 84	36"
207	34.125 x 84	36"
208	34.625 x 84	36"
209	35 x 84	36"
210	35.625 x 84	36"

No	Length 84"	Wand
211	38.5 x 84	36"
212	40.5 x 84	36"
213	42.5 x 84	36"
214	46.125 x 84	36"
215	46.625 x 84	36"
216	47.5 x 84	36"
217	58.625 x 84	36"
218	62.5 x 84	36"
219	70.125 x 84	36"
220	70.5 x 84	36"
221	71 x 84	36"
222	71.5 x 84	36"
	Length 86"	
223	24 x 86 (OB)	24"
224	25 x 86 (OB)	24"
	Length 96"	
225	16.5 x 96	18"
226	22.5 x 96	24"
227	26.5 x 96	24"
228	28.375 x 96	29"
229	30.5 x 96	29"
230	31.5 x 96	29"
231	34.125 x 96	36"
232	34.625 x 96	36"
233	35.625 x 96	36"
234	38.5 x 96	36"
235	42.5 x 96	36"
236	47.5 x 96	36"
237	71 x 96	36"

1" Cordless STOCK Vinyl Plus Blinds

Standard Features: 1 ½" x 1 1/8" Contoured Steel Headrail, 1" Room Darkening PVC Slats, Sturdy Steel Bottomrail,

Wand Tilt Only, Child Safe Cordless Design.

All Sizes are Exact Sizes. Not Returnable.

Cut-Down Width Only (Add \$5.00 per blind) Can be cut 3/4" – 2 1/2" off on each side.

Customization: Factory Allowance (+ or – 1/8")

Minimum Cut Per Side = 3/4"

Maximum Cut Per Side = 2 1/2"

Colors Available: 1CLPVW White

No	Length 36"	Wand
1	21.5 x 36	18"
2	22 x 36	18"
3	22.5 x 36	18"
4	24.5 x 36	18"
5	26.5 x 36	18"
6	28 x 36	18"
7	28.5 x 36	18"
8	29.5 x 36	18"
9	30.5 x 36	18"
10	33.5 x 36	18"
11	34 x 36	18"
12	34.5 x 36	18"
13	35.5 x 36	18"
14	42.5 x 36	18"
15	46 x 36	18"
16	46.5 x 36	18"
17	56.5 x 36	18"
18	58 x 36	18"
19	58.5 x 36	18"
20	69.5 x 36	18"
21	70 x 36	18"
22	70.5 x 36	18"
23	71.5 x 36	18"
	Length 43"	
24	24 x 43	24"
	Length 48"	
25	16.5 x 48	18"
26	18.5 x 48	18"

No	Length 48"	Wand
27	21.5 x 48	18"
28	22 x 48	18"
29	22.5 x 48	18"
30	24.5 x 48	24"
31	26.5 x 48	24"
32	27 x 48	24"
33	27.5 x 48	24"
34	28 x 48	24"
35	28.5 x 48	24"
36	29.5 x 48	24"
37	30 x 48	24"
38	30.5 x 48	24"
39	31 x 48	24"
40	31.5 x 48	24"
41	32 x 48	24"
42	33.5 x 48	24"
43	34 x 48	24"
44	34.5 x 48	24"
45	35 x 48	24"
46	35.5 x 48	24"
47	38.5 x 48	24"
48	40.5 x 48	24"
49	42.5 x 48	24"
50	44.5 x 48	24"
51	45.5 x 48	24"
52	46 x 48	24"
53	46.5 x 48	24"
54	47.5 x 48	24"

	Length 48"		82	31.5 x 60	31"
55	56.5 x 48	24"	83	32 x 60	31"
56	57.5 x 48	24"	84	32.5 x 60	31"
57	58 x 48	24"	85	33.5 x 60	31"
58	58.5 x 48	24"	86	34 x 60	31"
59	59 x 48	24"	87	34.5 x 60	31"
60	59.5 x 48	24"	88	35 x 60	31"
61	68.5 x 48	24"	89	35.5 x 60	31"
62	69.5 x 48	24"	90	36.5 x 60	31"
63	70 x 48	24"	91	37.5 x 60	31"
64	70.5 x 48	24"	92	38.5 x 60	31"
65	71.5 x 48	24"	93	39.5 x 60	31"
	Length 60"		94	40 x 60	31"
66	16.5 x 60	18"	95	40.5 x 60	31"
67	21.5 x 60	18"	96	41 x 60	31"
68	22 x 60	18"	97	41.5 x 60	31"
69	22.5 x 60	18"	98	42.5 x 60	31"
70	24 x 60	24"	99	44.5 x 60	31"
71	25.5 x 60	24"	100	45.5 x 60	31"
72	26.5 x 60	24"	101	46 x 60	31"
73	27 x 60	24"	102	46.5 x 60	31"
74	27.5 x 60	24"	103	47.5 x 60	31"
75	28 x 60	29"	104	51.5 x 60	31"
76	28.5 x 60	29"	105	52 x 60	31"
77	29 x 60	29"	106	53.5 x 60	31"
78	29.5 x 60	29"	107	54.5 x 60	31"
79	30 x 60	31"	108	56.5 x 60	31"
80	30.5 x 60	31"	109	57.5 x 60	31"
81	31 x 60	31"	110	58 x 60	31"

111	58.5 x 60	31"
112	59 x 60	31"
113	61.5 x 60	31"
114	62.5 x 60	31"
115	64.5 x 60	31"
116	66 x 60	31"
117	67 x 60	31"
118	68.5 x 60	31"
119	69 x 60	31"
120	69.5 x 60	31"
121	70 x 60	31"
122	70.5 x 60	31"
123	71.5 x 60	31"
	Length 64"	
124	22.5 x 64	18"
125	25.5 x 64	24"
126	26.5 x 64	24"
127	27.5 x 64	24"
128	28.5 x 64	29"
129	29.5 x 64	29"
130	30 x 64	31"
131	30.5 x 64	31"
132	31.5 x 64	31"
133	32 x 64	31"
134	32.5 x 64	31"
135	33.5 x 64	31"
136	34.5 x 64	31"
137	35.5 x 64	31"
138	37.5 x 64	31"
139	38.5 x 64	31"
140	39.5 x 64	31"
141	40.5 x 64	31"
142	42.5 x 64	31"
143	45.5 x 64	31"
144	46.5 x 64	31"
145	47.5 x 64	31"
146	51.5 x 64	31"
147	57.5 x 64	31"
148	69.5 x 64	31"
149	70 x 64	31"
150	71.5 x 64	31"

No	Length 72"	Wand
151	16.5 x 72	18"
152	17.5 x 72	18"
153	18.5 x 72	18"
154	21.5 x 72	18"
155	22 x 72	18"
156	22.5 x 72	18"
157	23 x 72	24"
158	23.5 x 72	24"
159	24 x 72	24"
160	24.5 x 72	24"
161	25.5 x 72	24"
162	26 x 72	24"
163	26.5 x 72	24"
164	27.5 x 72	24"
165	28 x 72	29"
166	28.5 x 72	29"
167	29 x 72	29"
168	29.5 x 72	29"
169	30 x 72	31"
170	30.5 x 72	31"
171	31 x 72	31"
172	31.5 x 72	31"
173	32 x 72	31"
174	32.5 x 72	31"
175	33.5 x 72	31"
176	34 x 72	31"
177	34.5 x 72	31"
178	35 x 72	31"
179	35.5 x 72	36"
180	36.5 x 72	36"
181	37.5 x 72	36"
182	38.5 x 72	36"
183	39.5 x 72	36"
184	40 x 72	36"
185	40.5 x 72	36"
186	41 x 72	36"
187	41.5 x 72	36"
188	42.5 x 72	36"
189	44.5 x 72	36"
190	45.5 x 72	36"

191	46 x 72	36"	231	34.5 x 84	31"
192	46.5 x 72	36"	232	35 x 84	36"
193	47.5 x 72	36"	233	35.5 x 84	36"
194	51.5 x 72	36"	234	36.5 x 84	36"
195	52.5 x 72	36"	235	37.5 x 84	36"
196	53 x 72	36"	236	38.5 x 84	36"
197	53.5 x 72	36"	237	40.5 x 84	36"
198	54.5 x 72	36"	238	42.5 x 84	36"
199	57.5 x 72	36"	239	44.5 x 84	36"
200	58 x 72	36"	240	46 x 84	36"
201	58.5 x 72	36"	241	46.5 x 84	36"
202	61.5 x 72	36"	242	47.5 x 84	36"
203	62 x 72	36"	243	53.5 x 84	36"
204	62.5 x 72	36"	244	56.5 x 84	36"
205	63.5 x 72	36"	245	58.5 x 84	36"
206	64.5 x 72	36"	246	59.5 x 84	36"
207	68.5 x 72	36"	247	70 x 84	36"
208	69 x 72	36"	248	70.5 x 84	36"
209	69.5 x 72	36"	249	71.5 x 84	36"
210	70 x 72	36"		Length 96"	
211	70.5 x 72	36"	250	16.5 x 96	18"
212	71.5 x 72	36"	251	18.5 x 96	18"
	Length 84"		252	22.5 x 96	18"
213	16.5 x 84	18"	253	24.5 x 96	24"
214	17.5 x 84	18"	254	26.5 x 96	24"
215	21.5 x 84	18"	255	27 x 96	24"
216	22.5 x 84	18"	256	28.5 x 96	29"
217	23.5 x 84	24"	257	30.5 x 96	31"
218	24 x 84	24"	258	31.5 x 96	31"
219	24.5 x 84	24"	259	32.5 x 96	31"
220	25 x 84	24"	260	34 x 96	31"
221	26.5 x 84	24"	261	34.5 x 96	31"
222	27 x 84	24"	262	35.5 x 96	36"
223	27.5 x 84	24"	263	37.5 x 96	36"
224	28.5 x 84	29"	264	38.5 x 96	36"
225	29.5 x 84	29"	265	40.5 x 96	36"
226	30.5 x 84	31"	266	42.5 x 96	36"
227	31.5 x 84	31"	267	46 x 96	36"
228	32.5 x 84	31"	268	47.5 x 96	36"
229	33.5 x 84	31"	269	70 x 96	36"
230	34 x 84	31"	270	71.5 x 96	36"

3 ½" STOCK PVC Vertical Blinds

Standard Features: Steel Headrail, Wand Control, Channel Panel Valance, Non-Leaded PVC Vanes, One Way Draw – Left or Right, Individual Package, Hardware Included, Return Size 5"

Colors Available: CV-188 Smooth White

ALL Sizes Are **EXACT** Size.

Width (inch) x Height (Inch)

35 x 48	71 x 60	104 x 84
47 x 48	72 x 60	110 x 84
59 x 48	78 x 60	114 x 84
71 x 48	34 x 72	116 x 84
71 x 48	47 x 72	78 x 96
34 x 58	54 x 84	102 x 96
35 x 60	66 x 84	78 x 100
43 x 60	71 x 84	104 x100
47 x 60	78 x 84	
59 x 60	85 x 84	
63 x 60	102 x 84	

Quantities Greater Than 100 Pieces, Please Call For Quote.

- Limited 1 Year Warranty
- Actual Freight Will Be Applied If Shipped.
- **Not Returnable**

3 ½" PVC EXPRESS Vertical Blinds

Standard Features:

- Steel Head rail
- Wand Control
- Non – Leaded PVC Vanes
- One Way Draw – Left or Right
- Hardware Included
- Valance Return Size 5"

Options:

- Channel Panel Valance

Colors Available: CV-88 Smooth White



Specifications:

- Minimum Width 18" Net.....Minimum Length 12"
- Maximum Width 114".....Maximum Length 192"

Width Height	24"	36"	48	60"	72"	84"	96"	108"	114"
36"	32	36	40	52	60	72	78	90	110
48"	34	38	44	56	66	78	86	100	118
60"	36	42	48	60	72	84	94	110	126
72"	38	44	52	66	78	92	104	120	138
84"	40	48	56	72	84	100	112	128	148
96"	42	50	60	76	90	108	120	138	160
120"	44	58	69	86	98	124	136	156	182
44"	46	66	78	96	116	138	152	176	204
68"	48	72	86	108	128	152	168	196	226
192"	50	78	94	118	140	166	186	214	248
Channel Valance Surcharge	5	5.50	6	6.50	7	7.50	8	8.50	9

Factory Allowanc (+ or – 1/8")

For Inside Mount: Deduction 1/2" on Width, Deduction 1/2" on Length, Deduction 1/4" on Valance

For Outside Mount: No Deduction on Width & Length / Add 1" to Valance Width

- Quantities Greater Than 100 Pieces, Please Call For Quote.
- Limited 1 Year Warranty
- Actual Freight Will Be Applied If Shipped.

3 ½" CURVED PVC Custom Vertical Blinds

Standard Features:

- 2" x 1 ¼" Aluminum Head rail
- Baked Enamel Ivory Finish Only
- Self-Aligning Scissor Linkage System
- Nylon Pull Cord & Plastic Bead Chain Tilt
- One Way Draw

Options:

- Split Draw.....N/C (Required on blind over 120" wide)
- Reverse Draw.....N/C (Vane controls located opposite side of vane stack)
- Valance Returns.....N/C
- Dust Cover Valance...\$ 3.75 / Ft
- 5" Return for Outside Mount with 3" Bracket (Standard)
- 1" Return for Inside Mount with ceiling clips



Specifications:

- Minimum Width 8" Net.....Minimum Length 8"
- Maximum Width 192".....Maximum Length 120"
- Blinds Over 120" will Have a Split Draw Only

Colors Available:

140 Curved White
139 Curved Off White

040 Curved Ivory
307 Curved Tan

228 Curved Light Gray

Width Height	26"	39"	51"	64"	76"	85"	89"	102"	114"	126"	139"	151"	164"	176"	189"	192"
48"	72	94	115	134	157	170	176	199	221	247	269	291	315	338	360	365
60"	77	100	123	145	168	183	190	215	238	266	290	314	341	365	389	395
72"	82	108	131	155	180	198	204	230	256	285	311	338	366	392	419	425
84"	85	114	138	164	192	209	217	245	273	305	333	361	391	419	448	455
96"	93	120	146	174	203	221	231	261	290	324	354	384	419	447	477	484
108"	97	126	155	183	215	236	244	276	308	344	375	408	440	474	506	513
120"	107	131	162	193	227	252	258	293	325	363	397	431	467	501	535	543

Factory Allowance (+/- 1/8")

For Inside Mount: Deduction 1/4" on Width, Deduction 2" on Length

For Outside Mount: No Deduction Taken on Width, Deduction: 2" on Length

Actual Freight Will Be Applied If Shipped.

Royal Arch And Quarter Royal Arch

Standard Features

- Moveable 2" Wood Louvers
- Exclusive 3" Wood Molding
- 3" Bottom Trim

Options:

- Available without Bottom Trim upon request.....N/C
- If Template required.....Add 25%

Colors Available:

W01 White (Discontinued) W04 Alabaster
W100 Pure White W901 Almost White



Specification:

Minimum size for Royal Arch Width 20" with 10" in Height
Maximum size for Royal Arch Width 84" with 42" in Height
Minimum size for Quarter Royal Arch Width 20" with 20" in Height
Maximum size for Quarter Royal Arch Width 42" with 42" in Height

Template Required:

For Royal Arch, if height is less or greater than half of width by 1", (EX. 36" Width and Height is 17")

For Quarter Royal Arch, if height is less or greater than half of width by 1", (EX. 36" Width and Height is 35")

Royal Arch

<i>Width Up To</i>	24	30	36	42	48	54	60	66	72	78	84
<i>Price</i>	220	270	300	330	360	450	490	530	580	680	730

Quarter Royal Arch

<i>Width Up To</i>	24	30	36	42
<i>Price</i>	270	350	420	490

- For ordering 5 or more, please Fax or Email for quote price. Phone orders cannot be accepted.
- We will not guarantee frames will line up when you attach two quarters together to make full Arch.

Actual Freight Will Be Applied If Shipped.

Elegant Arch And Quarter Elegant Arch

Standard Features:

- Moveable 2" Wood Louvers
- Exclusive 1 3/4" PVC Molding
- No Bottom Trim

Options:

- Customized Trim from 3/4" to 1 3/4".....N/C
- Bottom Trim from 3/4" to 1 3/4".....N/C
- If Template required.....Add 25%

Colors Available:

~~W01 White~~ (Discontinued) W04 Alabaster
W100 Pure White W901 Almost White



Specification:

Minimum size for Elegant Arch	Width 18" with 9" in Height
Maximum size for Elegant Arch	Width 72" with 36" in Height
Minimum size for Quarter Elegant Arch	Width 18" with 18" in Height
Maximum size for Quarter Elegant Arch	Width 36" with 36" in Height

Template Required:

For Elegant Arch, if height is less or greater than half of width by 1", (EX. 36" Width and Height is 17")

For Quarter Elegant Arch, if height is less or greater than half of width by 1", (EX. 36" Width and Height is 35")

Elegant Arch

<i>Width Up To</i>	24	30	36	42	48	54	60	66	72
<i>Price</i>	180	220	240	270	300	360	390	420	480

Quarter Elegant Arch

<i>Width Up To</i>	24	30	36	42
<i>Price</i>	220	290	320	350

- For ordering 5 or more, please Fax or Email for quote price. Phone orders cannot be accepted.
- We will not guarantee frames will line up when you attach two quarters together to make full Arch.

Actual Freight Will Be Applied If Shipped.

Royal Eyebrow And Quarter Royal Eyebrow

Standard Features

- Moveable 2" Wood Louvers
- Exclusive 3" Wood Molding
- 3" Bottom Trim

Options:

- Available without Bottom Trim upon request N/C

Colors Available:

W01 White (Discontinued) W04 Alabaster
W100 Pure White W901 Almost White

Royal Eyebrow



Specification:


Royal Eyebrow From 30" – 48" Wide

Minimum Width 30" Maximum Width 48"
Minimum Left and Right Leg Height 6"
Maximum Left and Right Leg Height 12"
Minimum Center Height 12"
Maximum Center Height 24"

Royal Eyebrow From 48 1/8" – 84" Wide

Minimum Width 48 1/8" Maximum Width 84"
Minimum Left and Right Leg Height 9"
Maximum Left and Right Leg Height 18"
Minimum Center Height 18"
Maximum Center Height 36"

Quarter Royal Eyebrow



Quarter Royal Eyebrow Specification

Minimum Width 30" Maximum Width 42"
Short Leg Height = 6" – 12"
Long Leg Height = 18" – 36"

Royal Eyebrow

<i>Width Up To</i>	30	36	42	48	54	60	66	72	78	84
<i>Price</i>	300	350	375	410	500	550	590	660	770	890

Quarter Royal Eyebrow

<i>Width Up To</i>	30	36	42
<i>Price</i>	390	420	490

- For ordering 5 or more, please Fax or Email for quote price. Phone orders cannot be accepted.
- We will not guarantee frames will line up when you attach two quarters together to make full Arch.

Actual Freight Will Be Applied If Shipped.

Smart Arch

Standard Features

- Moveable 2" Wood Louvers
- Exclusive 1 3/4" PVC Molding
- No Bottom Trim
- Perfect Half Circle


Colors Available:

W01 White (Discontinued)

W100 Pure White

W04 Alabaster

W901 Almost White



Specification:

Width Size	Dimension A	Dimension B	Dimension C	Will cover Openings
24"	22"	25 1/2"	11"	22 5/8" - 25"
30"	28"	31 1/2"	14"	28 5/8" - 31"
36"	34"	37 1/2"	17"	34 5/8" - 37"
42"	40"	43 1/2"	20"	40 5/8" - 43"
48"	46"	49 1/2"	23"	46 5/8" - 49"
54"	52"	55 1/2"	26"	52 5/8" - 55"
60"	58"	61 1/2"	29"	58 5/8" - 61"
66"	64"	67 1/2"	32"	64 5/8" - 67"
72"	70"	73 1/2"	35"	70 5/8" - 73"

Smart Arch

Width Up To	24	30	36	42	48	54	60	66	72
Price	120	150	180	210	240	270	300	330	360

- For ordering 5 or more, please Fax or Email for quote price. Phone orders cannot be accepted.

Actual Freight Will Be Applied If Shipped.


How to Measure Arch

Arch and Eyebrow are made so they can be fitted into almost any window. This is possible by the exclusive molding that frames these products and also by accurate measuring. Just follow these simple instructions to insure a perfect fit.

Arch

1. Measure base width of Arch opening
2. Measure height at three points (see diagram A).
3. Supply the smallest of the three measurements for the height.


DIAGRAM A



Quarter Arch

1. Measure base width.
2. Measure height and 45 degree angle (see diagram B).
3. Supply the smallest of the three measurements for the width and height.


DIAGRAM B



Eyebrow

1. Measure base width of Eyebrow opening.
2. Measure drop on left and right (see diagram C).
3. Measure center height.
4. Supply all four dimensions.


DIAGRAM C




Quarter Eyebrow

1. Measure base width of Arch opening.
2. Measure left drop.
3. Measure center height (see diagram D).
4. Measure right drop.
5. Supply all four dimensions.

DIAGRAM D



Roller Shade Diagram with Square Fascia



Green 3000 / 1% Open Fabric Roller Shade

Standard Features:

- Standard Roll
- White Color on Back Fabric
- Stainless Steel Beaded Chain
- Black or White Clutch
- Sealed Hem Bottom Rail or Exposed Metal Bottom Rail
- Color Coordinated Hardware

Colors:

Oyster
Grey
Charcoal

Beige
Chestnut

Fabric Composition:

25% Polyester, 75% Vinyl on Polyester
UV Blockage Approximately 99%

Options:

1. Railroad FabricN/C
2. 3" or 4" FasciaSee Price Chart
Colors: White, Alabaster, Silver, Bronze, Black

Specification:

- Minimum Width 12" Net
- Minimum Length 12" Net
- Maximum Width 144" Net
- Maximum Length 144" Net

Finished Dimensions	Standard Roller, 3" and 4" Fascia	
	Inside Mount	
Factory Allowance +/- 1/8"	Fascia Width	Ordered width minus = 1/8"
	Tube Width	Ordered width minus = 1 1/4"
	Fabric and Bottom Rail Width Up to 96" Length	Ordered width minus = 1 1/4"
	Fabric and Bottom Rail Width Over 96" Length	Ordered width minus = 1 1/2"
	Outside Mount	
	Fascia Width	Ordered width
	Tube Width	Ordered width minus = 1 1/8"
	Fabric and Bottom Rail Width Up to 96" Length	Ordered width minus = 1 1/8"
	Fabric and Bottom Rail Width Over 96" Length	Ordered width minus = 1 3/8"

Length Up to	Width Up To										
	24	36	48	60	72	84	96	108	120	132	144
36	168	209	253	293	343	411	470	524	572	770	842
48	189	237	290	351	411	492	552	622	675	872	948
60	211	268	335	405	478	564	636	712	764	959	1048
72	232	303	383	463	542	633	705	780	851	1053	1149
84	254	339	428	522	599	694	777	860	940	1152	1252
96	275	373	474	573	653	758	845	933	1022	1254	1354
108	301	414	522	617	707	821	915	1015	1108	1345	1456
120	327	448	563	661	759	880	980	1091	1189	1429	1554
132	352	490	600	707	812	941	1053	1171	1277	1515	1658
144	379	522	639	755	869	999	1119	1246	1357	1625	1754

Sizes in Grey area will be made with 2" Tube (Standard Roller or 4" Fascia Only)

3" or 4" Fascia

Width	24	36	48	60	72	84	96	108	120	132	144
	68	82	98	118	133	148	165	180	205	220	233

Green 3000 / 3% Open Fabric Roller Shade

Standard Features:

- Standard Roll
- White Color on Back Fabric
- Stainless Steel Beaded Chain
- Black or White Clutch
- Sealed Hem Bottom Rail or Exposed Metal Bottom Rail
- Color Coordinated Hardware

Colors:

White	Alabaster
Silver	Cocoa
Black	

Fabric Composition:

25% Polyester, 75% Vinyl on Polyester
UV Blockage Approximately 97%

Options:

1. Railroad FabricN/C
2. 3" or 4" FasciaSee Price Chart
Colors: White, Alabaster, Silver, Bronze, Black

Specification:

- Minimum Width 12" Net
- Minimum Length 12" Net
- Maximum Width 144" Net
- Maximum Length 144" Net

Standard Roller, 3" and 4" Fascia

Finished Dimensions
Factory Allowance
+/- 1/8"

Inside Mount

Fascia Width	Ordered width minus = 1/8"
Tube Width	Ordered width minus = 1 1/4"
Fabric and Bottom Rail Width Up to 96" Length	Ordered width minus = 1 1/4"
Fabric and Bottom Rail Width Over 96" Length	Ordered width minus = 1 1/2"

Outside Mount

Fascia Width	Ordered width
Tube Width	Ordered width minus = 1 1/8"
Fabric and Bottom Rail Width Up to 96" Length	Ordered width minus = 1 1/8"
Fabric and Bottom Rail Width Over 96" Length	Ordered width minus = 1 3/8"

Length Up to	Width Up To										
	24	36	48	60	72	84	96	108	120	132	144
36	144	175	205	237	273	330	377	422	460	638	699
48	159	196	232	277	322	388	442	493	534	712	769
60	176	217	267	321	374	446	501	550	590	773	839
72	190	242	301	365	423	494	547	603	650	837	908
84	207	271	339	408	464	533	595	654	708	898	975
96	224	298	373	443	498	579	641	708	763	961	1043
108	243	326	408	474	539	619	689	759	821	1025	1111
120	264	354	439	508	575	662	734	811	879	1087	1177
132	285	382	468	539	611	704	783	862	936	1152	1246
144	305	410	490	569	646	744	830	914	995	1210	1313

Sizes in Grey area will be made with 2" Tube (Standard Roller or 4" Fascia Only)

3" or 4" Fascia

Width	24	36	48	60	72	84	96	108	120	132	144
	68	82	98	118	133	148	165	180	205	220	233

Green 2000 / 1% Open Fabric Roller Shade

Standard Features:

- Standard Roll
- Solid Color Material
- Stainless Steel Beaded Chain
- Black or White Clutch
- Sealed Hem Bottom Rail or Exposed Metal Bottom Rail
- Color Coordinated Hardware

Colors:

Chalk
Grey
Black

Alabaster
Tobacco

Fabric Composition:

25% Polyester, 75% Vinyl on Polyester
UV Blockage Approximately 99%

Options:

1. Railroad FabricN/C
2. 3" or 4" FasciaSee Price Chart
Colors: White, Alabaster, Silver, Bronze, Black

Specification:

- Minimum Width 12" Net
- Minimum Length 12" Net
- Maximum Width 144" Net
- Maximum Length 144" Net

**Finished
Dimensions**

**Factory Allowance
+/- 1/8"**

Standard Roller, 3" and 4" Fascia

Inside Mount

Fascia Width	Ordered width minus = 1/8"
Tube Width	Ordered width minus = 1 1/4"
Fabric and Bottom Rail Width Up to 96" Length	Ordered width minus = 1 1/4"
Fabric and Bottom Rail Width Over 96" Length	Ordered width minus = 1 1/2"

Outside Mount

Fascia Width	Ordered width
Tube Width	Ordered width minus = 1 1/8"
Fabric and Bottom Rail Width Up to 96" Length	Ordered width minus = 1 1/8"
Fabric and Bottom Rail Width Over 96" Length	Ordered width minus = 1 3/8"

Length Up to	Width Up To										
	24	36	48	60	72	84	96	108	120	132	144
36	168	209	253	293	343	411	470	524	572	770	842
48	189	237	290	351	411	492	552	622	675	872	948
60	211	268	335	405	478	564	636	712	764	959	1048
72	232	303	383	463	542	633	705	780	851	1053	1149
84	254	339	428	522	599	694	777	860	940	1152	1252
96	275	373	474	573	653	758	845	933	1022	1254	1354
108	301	414	522	617	707	821	915	1015	1108	1345	1456
120	327	448	563	661	759	880	980	1091	1189	1429	1554
132	352	490	600	707	812	941	1053	1171	1277	1515	1658
144	379	522	639	755	869	999	1119	1246	1357	1625	1754

Sizes in Grey area will be made with 2" Tube (Standard Roller or 4" Fascia Only)

3" or 4" Fascia

Width	24	36	48	60	72	84	96	108	120	132	144
	68	82	98	118	133	148	165	180	205	220	233

Green 2000 / 3% Open Fabric Roller Shade

Standard Features:

- Standard Roll
- Solid Color Material
- Stainless Steel Beaded Chain
- Black or White Clutch
- Sealed Hem Bottom Rail or Exposed Metal Bottom Rail
- Color Coordinated Hardware

Colors:

Chalk
Grey
Black

Alabaster
Tobacco

Fabric Composition:

25% Polyester, 75% Vinyl on Polyester
UV Blockage Approximately 97%

Options:

1. Railroad FabricN/C
2. 3" or 4" FasciaSee Price Chart
Colors: White, Alabaster, Silver, Bronze, Black

Specification:

- Minimum Width 12" Net
- Minimum Length 12" Net
- Maximum Width 144" Net
- Maximum Length 144" Net

**Finished
Dimensions**

**Factory Allowance
+/- 1/8"**

Standard Roller, 3" and 4" Fascia

Inside Mount

Fascia Width	Ordered width minus = 1/8"
Tube Width	Ordered width minus = 1 1/4"
Fabric and Bottom Rail Width Up to 96" Length	Ordered width minus = 1 1/4"
Fabric and Bottom Rail Width Over 96" Length	Ordered width minus = 1 1/2"

Outside Mount

Fascia Width	Ordered width
Tube Width	Ordered width minus = 1 1/8"
Fabric and Bottom Rail Width Up to 96" Length	Ordered width minus = 1 1/8"
Fabric and Bottom Rail Width Over 96" Length	Ordered width minus = 1 3/8"

Length Up to	Width Up To										
	24	36	48	60	72	84	96	108	120	132	144
36	144	175	205	237	273	330	377	422	460	638	699
48	159	196	232	277	322	388	442	493	534	712	769
60	176	217	267	321	374	446	501	550	590	773	839
72	190	242	301	365	423	494	547	603	650	837	908
84	207	271	339	408	464	533	595	654	708	898	975
96	224	298	373	443	498	579	641	708	763	961	1043
108	243	326	408	474	539	619	689	759	821	1025	1111
120	264	354	439	508	575	662	734	811	879	1087	1177
132	285	382	468	539	611	704	783	862	936	1152	1246
144	305	410	490	569	646	744	830	914	995	1210	1313

Sizes in Grey area will be made with 2" Tube (Standard Roller or 4" Fascia Only)

3" or 4" Fascia

Width	24	36	48	60	72	84	96	108	120	132	144
	68	82	98	118	133	148	165	180	205	220	233

Blackout Roller Shade

Standard Features:

- Standard Roll
- Backing of material is white
- Stainless Steel Beaded Chain
- White Clutch
- Exposed Metal Bottom Rail Only
- Color Coordinated Hardware

Colors:

Available	Special Order
Sunrise White	Sunrise Ivory
Sunrise Black	Sunrise Barley
Sunrise Dark Grey	Sunrise Black

Fabric Composition:

100% Polyester
UV Blockage Approximately 100%

Options:

1. Railroad FabricN/C
2. 3" or 4" FasciaSee Price Chart
Colors: White, Alabaster, Silver, Bronze, Black

Specification:

- Minimum Width 12" Net
- Minimum Length 12" Net
- Maximum Width 144" Net
- Maximum Length 144" Net

Standard Roller, 3" and 4" Fascia

Finished Dimensions	Factory Allowance +/- 1/8"	Inside Mount	
		Fascia Width	Ordered width minus = 1/8"
		Tube Width	Ordered width minus = 1 1/4"
		Fabric and Bottom Rail Width Up to 96" Length	Ordered width minus = 1 1/4"
		Fabric and Bottom Rail Width Over 96" Length	Ordered width minus = 1 1/2"
		Outside Mount	
		Fascia Width	Ordered width
		Tube Width	Ordered width minus = 1 1/8"
		Fabric and Bottom Rail Width Up to 96" Length	Ordered width minus = 1 1/8"
		Fabric and Bottom Rail Width Over 96" Length	Ordered width minus = 1 3/8"

Length Up to	Width Up To										
	24	36	48	60	72	84	96	108	120	132	144
36	144	175	205	237	273	330	377	422	460	638	699
48	159	196	232	277	322	388	442	493	534	712	769
60	176	217	267	321	374	446	501	550	590	773	839
72	190	242	301	365	423	494	547	603	650	837	908
84	207	271	339	408	464	533	595	654	708	898	975
96	224	298	373	443	498	579	641	708	763	961	1043
108	243	326	408	474	539	619	689				
120	264	354	439	508	575	662	734				
132	285	382	468	539	611	704	783				
144	305	410	490	569	646	744	830				

Sizes in Grey area will be made with 2" Tube (Standard Roller or 4" Fascia Only)

3" or 4" Fascia

Width	24	36	48	60	72	84	96	108	120	132	144
	68	82	98	118	133	148	165	180	205	220	233

Fabric Tape The Right Look Right Now.

Fabric tape makes a dramatic comeback as today's freshest window look! Available in 15 rich, vibrant colors to harmonize or contrast with any 2" horizontal blind.



PRINTED COLORS MAY VARY SLIGHTLY FROM ACTUAL TAPE.



Redi Shade® Original Temporary Shade is made of high quality white paper, gently allowing light to filter through it.

Available in 36" and 48" widths, each measures 72" in length. Redi-Shade is completely recyclable and cordless, making Redi Shade® safe for homes with children and pets.

Royal Windows now stocks the Redi-Shade Temporary Shade, Please review the following:

36" x 72"


Six Shades Per Box	@ \$36.00 / Box
Six Boxes Per Case	@ \$216.00 / Case

48" x 72"

Six Shades Per Box	@ 39.00 / Box
Six Boxes Per Case	@ \$234.00 / Case



Measure the width of your window and if necessary, trim your Redi Shade to that width.



How do I use Redi Shade for my arch shape windows?

- Measure the midpoint of your arch window base, trim shade to that width
- Peel tape backing and as you face your window, stick the shade onto the left side of the window base
- Open the shade fan-style, and using cellophane tape, tape it to the right side of the frame and then tape shade to top center of window frame.

How do I accurately measure my window?

- The width of your window is the most important. Using a measuring tape, simply measure the inside of your window frame. Mark this width on your Redi Shade and trim to fit. If necessary, you may choose to trim the length of your shade with scissors.

Miscellaneous Price for Repairs and Parts

Repairs	Price
Cut Down Width per Blind	\$10.00 + FR
Shorten Blind	\$15.00 + FR
Lengthen Blind under 10"	\$15.00 + FR
Lengthen Blind 11" - 20"	\$20.00 + FR
Replace Ladders	\$20.00 + FR
Restraining	\$15.00 + FR
Replace Cord Tilt	\$15.00 + FR
Replace Wand Tilt	\$10.00 + FR
Replace Cord Lock	\$10.00 + FR
Replace Head Rail	\$25.00 + FR
Replace Bottom Rail	\$15.00 + FR
To change Ladder to Tape	\$50.00 + FR
To change Wand to Cord	\$15.00 + FR
Others call for price quote	
Comfortex collections must call for price	

Parts	Price
2" Loaded Head Rail	\$5.00 ft. + FR
Loaded Cord Tilter	\$5.00 ea. + FR
Cord Lock	\$1.50 ea. + FR
2" Tape Drum	\$1.00 ea. + FR
2" Tape Drum Support	\$1.00 ea. + FR
2 ½" Ladder	\$0.40 ft. + FR
2" Ladder	\$0.20 ft. + FR
2" Single Loop Ladder	\$0.40 ft. + FR
2" Double Loop Ladder	\$0.50 ft. + FR
2" Cloth Tape	\$1.00 ft. + FR
1.8 mm. Cord	\$0.30 ft. + FR
Wood Tassel	\$0.50 ea. + FR
Bottom Rail Button	\$0.25 ea. + FR
Wand	\$0.75 ft. + FR
1" Wand Tilter Mechanism	\$1.00 ea. + FR
2" Wand Tilter Mechanism	\$2.50 ea. + FR
2 1/2" Woodwind Louvers	\$2.00 ft. + FR
3 1/2" Woodwind Louvers	\$2.00 ft. + FR
Woodwind DZ Frame	\$5.00 ft. +FR
Woodwind L Frame	\$5.00 ft. + FR
Woodwind Standard Z Frame	\$5.00 ft. + FR
Woodwind Hanging Strip	\$5.00 ft. + FR
Woodwind Light Stop	\$2.00 pc. + FR
Magnet	\$1.00 pc. + FR
Hinge	\$1.00 pc. + FR

Parts	Price
Aluminum Slats	\$0.35 ft. + FR
Wood Slats	\$1.50 ft. + FR
Wood Bottom Rail	\$2.00 ft. + FR
2" PVC Slats	\$0.50 ft. + FR
2.5" PVC Slats	\$0.75 ft. + FR
2" PVC Bottom Rail	\$1.00 ft. + FR
2 ¼" PVC Bottom Rail	\$1.25 ft. + FR
3" Wood Valance	\$2.00 ft. + FR
3 ¼" Majestic Valance	\$1.50 ft. + FR
Valance Return (Left or Right)	\$0.50 ea. + FR
2" Valance Clips	\$0.50 ea. + FR
3" & 3 ¼" Valance Clips	\$0.75 ea. + FR
Hidden Valance Clips	\$0.50 ea. + FR
L Brackets	\$0.50 ea. + FR
Installation Brackets	\$3.00 pr. + FR
Center Support Brackets	\$1.50 ea. + FR
Hold Down Brackets	\$1.50 ea. + FR
Mini Blinds Hold Down Brackets	\$0.50 ea. + FR
Stop Balls	\$0.50 ea. + FR
Spacer Blocks	\$1.00 pr. + FR
RTS WireFree Tilt Motor	Net \$125
1-CH Remote Control	Net \$65
5-CH Remote Control	Net \$85

For all sample books, displays, blinds, arches, price list, and color decks, please contact your sales representative or sales department by phone: 800-872-2693, fax 800-422-2693 or Email sales@royalwindowsinc.com for pricing and availability.

POLICIES & PROCEDURES

NEW ACCOUNTS:

All new accounts will be processed upon receipt of a signed completed account application. All new accounts will be processed as PREPAID CASH ONLY pending approval of credit.

PAST DUE ACCOUNTS:

In some cases, new orders will not be processed until a resolution has been made on the account. You will be notified by the credit department in order to bring the account current. A 1.5% per month (18% per annum) service charge will be assessed on all past due balances. Please refer to your account application and agreement for details.

N.S.F CHECK OR STOPPED PAYMENT:

A \$45.00 fee will be added to the amount of the check. Cashier's check, money order or cash will be required to replace the returned checks.

ORDERS:

We accept faxed, mailed, e-mail, and online orders. Any change to the order already placed should be faxed or emailed; otherwise, signature is required for confirmation. In the case of an incomplete order, you will be notified by telephone or fax which may cause a delay to your order. In the case of conflicting color and product type, the color number will take precedence over the product type.

CONFIRMATION OF ORDERS:

A printed confirmation of your order will be faxed or e-mailed back to you within 24 hours of receipt of your order (excludes Saturday, Sunday, and Holiday).

DUPLICATED ORDERS:

Royal Windows cannot be responsible for duplicated orders due to same P.O. number, double faxing and faxing order without it marked clearly as a "CONFIRMATION ONLY". To prevent any duplication of orders please provide Royal Windows with a purchase order number and side mark. Our system can detect duplication by your purchase order number, so do not re-use the same number.

CANCELLATIONS:

Orders may be cancelled IF IT IS NOT already in production depending on the products. Please contact customer service department to check status prior cancellations.

RETURNS FOR REPAIR:

Please contact our Customer Service Department for Return Authorization Number (RGA). Please have Royal Windows work order ready for faster service. All products being returned to Royal Windows must have RGA number clearly identified both inside and outside the wrappings and must include specific details for repair instructions. Products returned without RGA number will not be processed and will be returned to the customer. **It is your responsibility to return products to Royal Windows in good condition. All products returned must be properly wrapped or boxed with care prior to shipping. Royal Windows will not be responsible for any damage, or loss due to shipping. All chargebacks for unauthorized repairs or additional installation cannot be honored.**

REMAKES:

Please contact our Customer Service Department for any remake request. Any charges are determined in part by our policy and will depend on individual product and reason. Any decision to remake will be made solely by Royal Windows. Please contact our customer service department for more details.

RETURN FOR CREDIT:

No credit will be accepted without prior approval from our Customer Service Department. Please contact the Customer Service Department for RGA number and how the product should be returned within 30 days of receiving the original. All returns for credit are conditional upon final inspection.

All products returned must be properly wrapped or boxed with care prior to shipping. In the event Royal Windows, upon inspection of the product, determines that it is ineligible for credit, the customer will receive the option to have the product returned at customer's expense or have Royal Windows dispose of the product.

BACK ORDERS:

You will be notified within 24 hours after receipt of your order by the customer service department. You may then re-select a new color or product or wait on the back order. For a product from an external vendor, you will be notified within 24 hours of the time Royal Windows is notified by the external vendor.

COLOR VARIATION BETWEEN DYE LOTS

Please keep in mind that finished products can vary slightly from samples due to wood grain and dye lots. We strongly recommend you to order all of your blinds, shades, or shutters at the same time for the best possible match. Pattern availability and color dye lot match between orders cannot be assured.

SHIPPING / FREIGHT DAMAGE / MISSING SHIPMENT

Please visit www.RoyalWindowsInc.com/warranty_royal_windows.php for the most up-to-date information.



ROYAL WINDOWS INC

OFFICE: 606 Fountain Parkway, Grand Prairie, TX 75050

Toll Free: 800-872-2693

Phone: 214-412-1189

Fax: 214-412-1188

SALES:

Email: sales@royalwindowsinc.com

ORDER ENTRY:

Email: orderentry@royalwindowsinc.com

CUSTOMER SERVICE:

Email: customerservice@royalwindowsinc.com

ACCOUNTING:

Email: billing@royalwindowsinc.com



606 Fountain PKWY, Grand Prairie, TX. 75050 Phone: 214-412-1189 or 1- 800-872-2693 Fax: 214-412-1188 or 1- 800- 422-2693

No Warranty On All Corded Blinds Effective May 15, 2024

IMPORTANT NOTICE REGARDING STANDARD PULL-CORD BLINDS

The U.S. Consumer Product Safety Commission (CPSC) has determined that custom window coverings with accessible operating cords longer than 8 inches pose a reasonable risk of strangulation to children 8 years old and younger. To address this risk of strangulation, the Commission is issuing a final rule under the Consumer Product Safety Act (CPSA) to require that operating cords on custom window coverings meet the same requirements as operating cords on stock window coverings, as set forth in the applicable voluntary standard.

Due to this final rule, we must exclude the warranty period for all corded blinds purchased beginning on May 15, 2024.

"All Custom-Made Corded Window Coverings Will Be Discontinued By May 31st, 2024 Or Before".

One Year Warranty

Royal Windows Inc. warrants that our products will be free from defects in materials and workmanship for 1 year, provided that the product was installed properly in the original window it was intended for and in accordance with the installation instructions. This warranty applies to 2" Budget Cordless Fauxwood Blinds, 2 ½" Budget Cordless Fauxwood Blinds, 2" Stock Cordless Fauxwood Blinds, 1" Stock Cordless Vinyl Plus, 3.5" Stock PVC Vertical Blinds, 3 ½" PVC Express Vertical Blinds and all the Arches / Eyebrows.

What IS covered:

- Operating mechanisms (including Inner cords and ladders) and components are covered for 1 year from the date of purchase. Minimal fees will apply for repair or replacement parts.
- All internal mechanisms, components and brackets.
- Manufacturing defects and shipping damage must be reported within 7 business days of receipt.



606 Fountain PKWY, Grand Prairie, TX. 75050 Phone: 214-412-1189 or 1- 800-872-2693 Fax: 214-412-1188 or 1- 800- 422-2693

What IS NOT covered:

- Normal wear and tear as a result of time and repetitive daily use, including fraying of inner cords and ladders, over tightening of wand tilter and mis-use of cordless module.
- Any loss or damage resulting from accidents, improper use of cleaning chemicals, alterations, misuse, abuse, motorized devices, or failure to follow our instructions with respect to measurement, installation, cleaning or maintenance, exposed to any and all natural excessive heat sources, removal of the product and reinstallation in the same or another window.
- Some slight warpage, as well as natural variations in color and grain effect, are normal with wood and PVC products and are not considered defects. Materials can lose original intensity after long exposure to the sun. When left for extended periods in direct sunlight, plastic and PVC tend to crack and discolor including exposure to the elements including, but not limited to salty air and humidity. Excessive warping of wood or faux wood slats in high humidity areas are not covered under this warranty.
- Products ordered outside of the recommended manufacturing specifications (oversized blinds as shown on product page). All products that are discontinued in the normal course of business are specifically excluded.
- Damage from children, pets or insects.
- Any transportation costs to and from the retailer, cost of removal, re-measure, reinstallation of product or any incidental or consequential damages.
- If product is found to be defective in materials or workmanship, we will, at our discretion, repair, Replace or refund the cost of the product which fails to conform to this Limited Warranty. Colors vary from dye lot to dye lot and may not exactly match the original purchases.

To obtain warranty service

- Contact our customer service department by e-mail customerservice@royalwindowsinc.com
- Customer/Homeowner will be responsible for transporting the product to and from Royal Windows.
- Warranty claims must include details regarding the nature of the problem and proof of purchase such as our invoice number or order number if available.



606 Fountain PKWY, Grand Prairie, TX. 75050 Phone: 214-412-1189 or 1- 800-872-2693 Fax: 214-412-1188 or 1- 800- 422-2693

- No products, parts, components or other materials will be authorized for return or repair without prior approval from Royal Windows. All returned products must be approved by Customer Service. Please contact Customer Service for Return Good Authorization Number (RGA).
- Shipping Damage/Missing Shipments must be reported within 7 days from the date of receipt to obtain warranty service.
- The obligation of Royal Windows is limited to repair or replacement of the product or components found to be defective and excludes shipping charges and labor costs for measuring and installation. Repairs will be made with like or similar parts.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER OBLIGATIONS, LIABILITIES, OR WARRANTIES. In no event shall Royal Windows be liable or responsible for INCIDENTAL OR CONSEQUENTIAL DAMAGES or for any other direct or indirect damage, loss, cost, expense or fee. Some states do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion or limitation may not apply to you. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Royal Windows Inc. reserves the right to make final determination on all warranty claims. Royal Windows Inc. will replace, refund or issue credit as its option.